
PiRanha™ Junk XTractR™



The PiRanha™ Junk XTractR™ is a robust, free-rotating wellbore clean-up tool and can be run individually or modularly as part of the ArmRdillo™ Wellbore Clean-Up System. The PiRanha™ Junk XTractR™ is designed to mill up and remove junk from the wellbore which could damage downhole equipment.

FEATURES

- Robust Single Piece Mandrel
- Fluted free-rotating Centralizer Rings provide centralization and prevents casing wear
- Fixed bladed mill and junk scoop with tungsten carbide inserts and large single entry
- Large capacity junk barrel
- Secondary boot basket capture debris in the annulus above the tool
- Free rotating tool design to prevent drill pipe, tool or casing wear
- Can be quickly assembled redressed on location with simple hand tools
- No external bolts, clamps or fasteners that can come loose down hole

Website: www.odfjelltechnology.com

Enquiries: otl-wellservices@odfjelltechnology.com



BENEFITS

Cost savings

- Field serviceable at the rig-site with basic hand tools
- Removes harmful junk preventing premature failures

Integrity

- Available with high torque connections reducing the need for reduced strength crossovers
- Single piece mandrel with no internal connections for increased strength

Reducing Non-Productive Time

- A robust wellbore clean-up is proven to reduce nonproductive time during the completion of the well
- Reduces failure of completion equipment by debris which can interfere with valves, electronics and other hardware

APPLICATIONS

- Pre-completion wellbore clean-up operations when junk is known to be present in the wellbore
- Milling or heavy workover operations to remove junk and debris
- Cement and accessory milling

OPERATIONAL

- The PiRanha[™] Junk XTRactR[™] can be run as part of junk milling assembly or part of the pre-completion wellbore cleanup when junk known to be present in the wellbore
- The PiRanha™ Junk XTRactR™ can be placed above a MunchRdillo™ Scraper Milling Tool and MAGStar4™ HD Casing magnet.
- While running in hole or circulating fluid enters the large single entry port or bypasses around the outside of the tool
- While rotating the fixed blade carbide mill breaks up any junk and the junk scoop introduces the junk into the junk barrel
- Junk which is circulated past the outside of the tool can be caught in the regular boot basket located at the top end of the junk barrel
- The drill string can be rotated and reciprocated without fear of damage or wear of the casing, drill pipe or of the XTractR™ Wellbore Filter
- While pulling out of hole, the junk barrel boot basket captures additional debris from the wellbore
- The PiRanha™ Junk XTRactR™ can be quickly emptied at surface to inspect contents and can be redeployed quickly if necessary

The **Piranha™ Junk XTractR™** is not currently available for rental and operation in all countries. Please contact Odfjell Well Services to enquire about rental and operation of this tool in a specific country to ensure that your request can be accommodated.

Website: www.odfjelltechnology.com

Enquiries: otl-wellservices@odfjelltechnology.com

