

## TECHNICAL SPECIFICATIONS

Equipment No's: Ref. Enclosed page

Spec. No.: DP-3.5-07

### 3-1/2" OD Drill Pipe, S-135, NC-38 Vam Eis Conn's.

**New**

**Premium**

80% remaining Body Wall

#### DESCRIPTION

Type  
Range  
Conventional=welded T-J. / Integral=Monoblock

EU, 15.5 #  
3  
Conventional

#### TUBE DATA

Material grade		S-135			
Internal plastic coating		TK-34P			
Tube body OD x ID	inch	3,500	2,602	3,320	2,602
Wall thickness, nominal	inch	0,449		0,359	
Cross Sectional Area	inch <sup>2</sup>	4,304		3,341	
Polar Sectional Modulus	inch <sup>3</sup>	5,847		4,477	
Tensile yield pipe	lbf <i>kN</i>	581 000 <i>2 584</i>		451 100 <i>2 006</i>	
Torsional yield pipe	lbf-ft <i>kNm</i>	37 960 <i>51,5</i>		29 060 <i>39,4</i>	
80% Torsional Yield	lbf-ft <i>kNm</i>	30 368 <i>41,2</i>		23 240 <i>31,5</i>	

#### CONNECTION DATA

Connection type		NC-38 Va, Eis			
Material grade		120 ksi			
Hardbanding		Arnco-300XT			
OD x ID	inch	5,000	2,438	4,719	2,438
B.S.R.	x : 1	2,54		2,05	
Tensile yield tooljoint	lbf <i>kN</i>	693 700 <i>3 086</i>		606 800 <i>2 699</i>	
Torsional yield tooljoint	lbf-ft <i>kNm</i>	30 570 <i>41,4</i>		27 530 <i>37,3</i>	
Make up torque (Max.)	lbf-ft <i>kNm</i>	17 400 <i>23,6</i>		15 700 <i>21,3</i>	

#### OPERATIONAL DATA

Tool joint/Drill pipe torsional ratio	=> 0.80 *	0,81	1,05	
Drift diameter	inch	2,313		
Type of elevator shoulder:		18°		
Burst pressure	psi <i>Mpa</i>	30 310 <i>209</i>		27 700 <i>191</i>
Collapse pressure	psi <i>MPa</i>	30 190 <i>208</i>		26 040 <i>180</i>
Adjusted weight	lbs/ft <i>kg/mtr</i>	17,1 <i>25,5</i>		
Approx weight each joint	lbs <i>kg</i>	771 <i>350</i>		
Capacity	gal/ft <i>ltr/mtr</i>	0,273 <i>3,39</i>		
Open end displacement	gal/ft <i>ltr/mtr</i>	0,25 <i>3,10</i>		
Closed end displacement	gal/ft <i>ltr/mtr</i>	0,52 <i>6,50</i>		
Built In Length (shoulder to shoulder)	ft <i>mtr.</i>	45,0 <i>13,7</i>		

Calculated using nominal OD & ID. Safety & Dope friction factor used: 1.0

Values herein is meant as guidelines only. Odfjell will not be held liable for any damage or injuries !

<http://www.ows.no/Legal-Notice>

Docs. # 1064576

FRB - 22.01.2015

<i>String number:</i>	<i>Joints:</i>	<i>Individual serial numbers:</i>
OWS-DP-3122-EIS	113	OWS-9746 to OWS-9858